

# UPRIGHT DISPLAY COOLER





## Your Ideal One-Stop Supplier of Commercial Fridges

Nenwell, China tier 1 commercial refrigeration solution provider, with 7+ affiliated factories standing behind us, we are enduring in operating mass production and fast delivery for valued clients across the world. Alongside the decades since China's open policy in 90's, Nenwell took deep root in China commercial refrigeration industry and grew into a total solution provider of commercial refrigeration equipment, such as reach in refrigerator, glass door merchandiser, countertop fridge, back bar fridge, conventional fridges and freezers, and medical purpose refrigerators. Besides these commercial refrigerators, also we are supplying numerous components and fridge production lines. Nenwell Import and Export is our export outlet and the helper in pivoting global supply chain in this field across the world. We are committed to become your ideal one-stop supplier of freezers and coolers.



## Nenwell, a Joint of High Quality upon Cost-Efficiency

Deeply rooted in China refrigeration industry for the past three decades, we have developed prominent expertise and leading technology which bring our manufacturing to world-class high quality. Quality and safety standards such as ISO90001, CE, RoHS, REACH, ETL, UL, NSF, CB, SAA and other norms are well met for different product lines. High quality products and efficient inner cost control empowers Nenwell to grow rapidly in the refrigeration field. Your one-stop refrigeration supplier is us as we run comprehensively full field refrigeration equipment, from cooler to freezer, from mini to large, from counter-top to free-standing, from complete units to components, and from products to production lines. We are professional in satisfying your OEM/ ODM and customized orders.

## We help Boost Your Brand in Catering and Retailing



We are always one step ahead of the food service and retailing business. Our insights in stylish designs, illuminated visibility, energy saving technology can definitely boost your brand distribution and retailing sales. Remarkable acknowledgements are bestowed to Nenwell through trustworthy cooperations with famous clients home and abroad, such as Qingdao Beer, Tiger Beer, Polar Bear, Nestle', Meiji, Dairy Queen, Arum, Klondike, Cream Bell, Dairy Day, Igloo, Orchard Fresh, Cold Stone, Llaollao, Fruits, Amorino, Galadari and the list extends yearly.





**Barrel Cooler**



**Countertop Chiller**



**Silm Upright Freezer**



**Upright Fridge**



**Cake Showcase**



**Ice Cream Showcase**



**Supermarket Merchandiser**



**Medical Refrigerator**

2 ~ 8°C Pharmacy Refrigerator




4°C Blood Bank Refrigerator



-40°C Biomedical Freezer



Transport Cooler







>>>

**NW-LG228F/268F/300F/350F/430F**


**Products Features**

>>>

- Ventilated cooling system
- Copper evaporator
- Automatic defrost
- Interior and canopy LED light with switch
- Adjustable shelves & feet
- Fan assisted condenser (For option)
- Digital controller and temperature display
- Replaceable door gasket
- Tempered glass
- Refrigerant: R134a / R600a
- White/Black exterior finish & White interior finish

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	20'GP/40'GP/40HQ
NW-LG228F	0~10 °C	530*590*1645	585*625*1700	228	48/103/103
NW-LG268F	0~10 °C	530*590*1845	585*625*1900	268	36/76/95
NW-LG300F	0~10 °C	620*595*1845	685*625*1900	300	27/57/75
NW-LG350F	0~10 °C	620*635*1890	685*665*1994	350	24/54/71
NW-LG430F	0~10 °C	620*690*2073	685*725*2132	430	24/51/51





**Products Features**

>>>

- Ventilated cooling system
- Copper evaporator
- Automatic defrost
- Interior and canopy LED light with switch
- Adjustable shelves
- Casters 2 lockable (For option)
- Fan assisted condenser
- Digital controller and temperature display
- Replaceable door gasket
- Self closing door
- Tempered glass
- PVC or Aluminum door frame
- Refrigerant: R134a / R290
- White/Black exterior finish & White interior finish



NW-LG1300F



NW-LG400F/600F/800F/1000F




NW-LG2000F

>>>

**NW-LG400F/600F/800F/1000F/1300F/2000F**

Model No	Temp. Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	20'GP/40'GP/40'HQ	Door Type
NW-LG400F	0-10 °C	900*630*1856	955*675*1956	400	20/41/41	Hinge Door
NW-LG600F	0-10 °C	900*725*2036	955*770*2136	600	18/36/36	Hinge Door
NW-LG800F	0-10 °C	1000*730*2036	1060*785*2136	800	15/33/33	Hinge Door
NW-LG1000F	0-10 °C	1200*730*2036	1260*785*2136	1000	13/27/27	Hinge Door
NW-LG1300F	0-10 °C	1560*730*2036	1615*770*2136	1300	21	Hinge Door
NW-LG2000F	0-10 °C	2080*780*2036	2130*825*2136	2000	14	Hinge Door





**Products Features**

>>>

- Ventilated cooling system
- Copper evaporator
- Automatic defrost
- Interior and canopy LED light with switch
- Adjustable shelves
- Casters 2 lockable (For option)
- Fan assisted condenser
- Digital controller and temperature display
- Replaceable door gasket
- Self closing door
- Tempered glass
- PVC or Aluminum door frame
- Refrigerant: R134a / R290
- White/Black exterior finish & White interior finish



>>>

**NW-LG400FS/600FS/800FS/1000FS**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	20'GP/40'GP/40HQ	Door Type
NW-LG400FS	0-10 °C	900*630*1856	955*675*1956	400	20/41/41	Sliding Door
NW-LG600FS	0-10 °C	900*725*2036	955*770*2136	600	18/36/36	Sliding Door
NW-LG800FS	0-10 °C	1000*730*2036	1060*785*2136	800	15/33/33	Sliding Door
NW-LG1000FS	0-10 °C	1260*785*2136	1260*785*2136	1000	13/27/27	Sliding Door





**Products Features**

>>>

- Ventilated cooling system
- Copper tube fin evaporator
- Adjustable shelves
- Interior and canopy LED light with switch
- 4 casters 2 with brakes
- Low-E tempered glass door
- Digital controller
- Self closing door
- Black aluminum alloy door frame
- Lightbox for option
- Refrigerant: R290



NW-LC1880M3W



NW-LC368LW



NW-LC1100M2W/1253M2W

>>>

**NW-LC368LW/1100M2W/1253M2W/1880M3W/368W**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40'GP Container
NW-LC368LW	0~10 °C	610*596*2120	700*710*2250	335	54
NW-LC1100M2W	0~10 °C	1100*602*2120	1180*710*2250	735	30
NW-LC1253M2W	0~10 °C	1253*692*2120	1330*840*2250	1000	23
NW-LC1880M3W	0~10 °C	1880*692*2120	1960*840*2250	1600	14
NW-LC368W	0~10 °C	610*596*1870	700*710*2200	335	54





**Products Features**

>>>

- Ventilated cooling system
- Copper tube fin evaporator
- Adjustable shelves
- Interior and canopy LED light with switch
- 4 casters 2 with brakes
- Low-E tempered glass door
- Digital controller
- Self closing door
- Black aluminum alloy door frame
- Lightbox for option
- Refrigerant: R290



NW-LC368W

>>>



NW-LC1100M2WX/1253M2WX



NW-LC1880M3WX



NW-LC818M2F




NW-LC1128M3F

**NW-LC1100M2WX/1253M2WX/1880M3WX/818M2F/1128M3F**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40'GP Container
NW-LC1100M2WX	0~10 °C	1100*614*2120	1190*710*2180	735	30
NW-LC1253M2WX	0~10 °C	1253*704*2120	1330*840*2180	1000	27
NW-LC1880M3WX	0~10 °C	1880*704*2120	1960*840*2180	1600	18
NW-LC818M2F	0~10 °C	1220*688*2150	1305*760*2290	818	25
NW-LC1128M3F	0~10 °C	1630*688*2150	1715*760*2290	1128	21





**Products Features**

>>>

- Ventilated cooling system
- Copper tube fin evaporator
- Adjustable shelves
- 3 colors LED lights
- 4 casters 2 with brakes
- Black aluminum alloy door frame
- Low-E tempered glass door
- Self closing door
- Digital controller
- Refrigerant: R290



NW-LC2240M4F



NW-LC615M1F



NW-LC1120M2W

>>>

**NW-LC615M1F/1120M2W/1680M3W/2240M4W**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40'GP Container
NW-LC615M1F	2~8 °C	615*600*1980	685*660*2110	330	54
NW-LC1120M2W	2~8 °C	1120*600*1980	1220*660*2110	650	28
NW-LC1680M3W	2~8 °C	1685*600*1980	1785*660*2110	1000	20
NW-LC2240M4W	2~8 °C	2250*600*1980	2350*660*2110	1360	20





**Products Features**

>>>

- Fan assisted condenser
- Adjustable shelves
- With top lighting box
- Interior LED light
- Condenser hanging on the back
- Roll-bond evaporator inside cooler
- Refrigerant: R134a/R600a



NW-SC105



NW-SC135B



NW-SC105B



NW-SC145B

>>>

**NW-SC105/105B/135B/145B/190B/235B**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40'GP Container
NW-SC105	0~10 °C	360*365*1735	456*461*1814	105	60/130/130
NW-SC105B	0~10 °C	360*365*1880	456*461*1959	105	60/130/130
NW-SC135B	0~10 °C	410*460*1860	460*500*1919	135	55/115/115
NW-SC145B	0~10 °C	420*480*1880	502*529*1959	145	44/92/92
NW-SC190B	0~10 °C	535*540*1595	582*592*1627	190	48/108/108
NW-SC235B	0~10 °C	535*540*1850	582*592*1882	235	36/80/104






**Products Features**

>>>

- Fan assisted cooling
- Static cooling
- Manual defrost
- Interior and canopy LED light with switch
- Adjustable shelves & feet
- Fan assisted condenser (For option)
- Digital controller (For option)
- Replaceable door gasket
- Refrigerant: R134a/R600a
- White/Black exterior finish & White interior finish




>>>

**NW-LG228/268/300/350/430**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	20' GP/40'GP/40HQ
NW-LG228	0~10 °C	530*595*1645	585*625*1700	228	48/103/103
NW-LG268	0~10 °C	530*590*1845	585*625*1900	268	36/76/95
NW-LG300	0~10 °C	620*595*1845	685*625*1900	300	27/58/75
NW-LG350	0~10 °C	620*635*1890	685*665*1994	350	24/54/71
NW-LG430	0~10 °C	620*690*2073	685*725*2132	430	24/51/51





**Products Features**

>>>

- Fan assisted cooling
- Static cooling
- Manual defrost
- Interior and canopy LED light with switch
- Adjustable shelves
- Casters 2 lockable (For option)
- Fan assisted condenser
- Electronic display
- Replaceable door gasket
- Refrigerant: R134a / R290
- White/Black exterior finish & White interior finish



NW-LG1020/1320

>>>

**NW-LG420/620/820/1020/1320/1620**



NW-LG420/620/820



NW-LG1620

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40HQ Container
NW-LG420	0~10 °C	900*630*1865	955*675*1956	420	38
NW-LG620	0~10 °C	1250*570*1931	1305*620*2031	620	28
NW-LG820	0~10 °C	1250*680*2081	1400*720*2181	820	27
NW-LG1020	0~10 °C	1560*680*2081	1610*720*2181	1020	21
NW-LG1320	0~10 °C	1890*680*2081	1940*730*2181	1320	18
NW-LG1620	0~10 °C	2080*725*2081	2130*775*2181	1620	15





**Products Features**

>>>

- Fan assisted cooling
- Static cooling or Ventilated cooling for option
- Manual defrost
- Interior and canopy LED light with switch
- Adjustable shelves & feet
- Digital controller and temperature display
- Replaceable door gasket
- Refrigerant: R134a / R600a
- White ABS exterior finish & White interior finish




>>>

**NW-LG220X(F)/300X(F)/350X(F)**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40HQ Container	Cooling System
NW-LG220X	0~10 °C	530*635*1721	585*665*1771	220	98	Static
NW-LG300X	0~10 °C	620*635*1841	685*665*1891	300	73	Static
NW-LG350X	0~10 °C	620*635*2011	685*665*2061	350	71	Static
NW-LG220XF	0~10 °C	530*635*1721	585*665*1771	220	98	Ventilated
NW-LG330XF	0~10 °C	620*635*1841	685*665*1891	300	73	Ventilated
NW-LG350XF	0~10 °C	620*635*2011	685*665*2061	350	71	Ventilated





**Products Features**

>>>

- Copper Evaporator
- Fan assisted cooling
- Dynamic cooling
- Automatic defrost
- Interior and canopy LED light with switch
- Adjustable shelves & feet
- Fan assisted condenser (For option)
- Digital controller and temperature display
- Replaceable door gasket
- Tempered front glass
- Refrigerant: R134a / R600a / R290
- White ABS exterior & interior finish



>>>

**NW-LG230X(F)/310X(F)/360X(F)**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40HQ Container	Cooling System
NW-LG230X	0~10 °C	530*635*1721	585*665*1771	230	96	Static
NW-LG310X	0~10 °C	620*635*1841	685*665*1891	310	72	Static
NW-LG360X	0~10 °C	620*635*2011	685*665*2061	360	71	Static
NW-LG230XF	0~10 °C	530*635*1721	585*665*1771	230	96	Ventilated
NW-LG310XF	0~10 °C	620*635*1841	685*665*1891	310	72	Ventilated
NW-LG360XF	0~10 °C	620*635*2011	685*665*2061	360	71	Ventilated



**Products Features**

>>>

- Static cooling system
- Fan assisted cooling
- Manual defrost
- Interior LED light with switch
- Adjustable shelves & feet
- Fan assisted condenser (For option)
- Digital controller (For option)
- Replaceable door gasket
- Refrigerant: R134a / R600a
- White ABS exterior & interior finish




>>>

**NW-LG230XP/310XP/360XP**

Model No	Temp.Range	External Dimension W*D*H(mm)	Packing Dimension W*D*H(mm)	Capacity (L)	40HQ Container	Remark
NW-LG230XP	0-10 °C	530*635*1442	585*665*1501	230	102	Static
NW-LG310XP	0-10 °C	620*635*1562	685*665*1621	310	75	Static
NW-LG360XP	0-10 °C	620*635*1732	685*665*1791	360	73	Static





**Products Features**

>>>

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glass
- Maintenance free condenser
- Ventilated cooling system
- Automatic defrost
- Glass fog preventing system
- Separated power button
- Refrigerant: R134a / R600a



>>>

**NW-XC58L/68L/78L/98L**

Model No	Temp.Range	Dimension (mm)	Capacity (L)	Layer
NW-XC58L	2~8°C	447*400*819	58L	3
NW-XC68L	2~8°C	447*400*894	68L	3
NW-XC78L	2~8°C	447*400*969	78L	3
NW-XC98L	2~8°C	447*400*1119	98L	3





**Products Features**

>>>

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glass, curved front
- Maintenance free condenser
- Ventilated cooling system
- Automatic defrost
- Glass fog preventing system
- Separated power button
- Refrigerant: R134a/R600a



>>>

**NW-XC58L (1R) / 68L (1R) / 78L (1R) / 98L (1R)**

Model No	Temp.Range	Dimension (mm)	Capacity (L)	Layer
NW-XC58L(1R)	2~8°C	447*400*819	58L	3
NW-XC68L(1R)	2~8°C	447*400*894	68L	3
NW-XC78L(1R)	2~8°C	447*400*969	78L	3
NW-XC98L(1R)	2~8°C	447*400*1119	98L	3



**Products Features**

>>>

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glass
- Maintenance free condenser
- Ventilated cooling system
- Automatic defrost
- Curved front glass door
- Four castors, two with brakes
- Refrigerant: R134a/R290



>>>

**NW-XC218L/218L/278L**

Model No	Temp.Range	Dimension (mm)	Capacity (L)	Refrigerant	Layer
NW-XC218L	2~8°C	515*485*1615	218L	R134a/290	5
NW-XC238L	2~8°C	515*485*1715	238L	R134a/290	5
NW-XC278L	2~8°C	515*485*1915	278L	R134a/290	5



**Products Features**

>>>

- Two strip LED light
- Digital controller
- Tempered glass shelves
- Tempered glass
- Ventilated cooling system
- Automatic defrost
- Designed for countertop



>>>

**NW-XC105R**

Model No	Temp.Range	Dimension (mm)	Capacity (L)	Refrigerant	Layer
NW-XC105R	0~12°C	480*480*1030	105L	R600a	4





Total Solution of Commercial Refrigerators

# UPRIGHT DISPLAY COOLER



Tel: 0086-757-85856069

Web: <http://www.nenwell.com/>

Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China