

# Cake cabinet Series



Nenwell Refrigeration Technology Co., Ltd.  
Foshan Nenwell Import & Export Trading Co., Ltd.

Total Solution of Commercial Refrigerators Tel: 0086-757-85856069 Web: <http://www.nenwell.com/>  
Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China



## Your Ideal One-Stop Supplier of Commercial Fridges

Nenwell, China tier 1 commercial refrigeration solution provider, with 7+ affiliated factories standing behind us, we are enduring in operating mass production and fast delivery for valued clients across the world. Alongside the decades since China's open policy in 90's, Nenwell took deep root in China commercial refrigeration industry and grew into a total solution provider of commercial refrigeration equipment, such as reach in refrigerator, glass door merchandiser, countertop fridge, back bar fridge, conventional fridges and freezers, and medical purpose refrigerators. Besides these commercial refrigerators, also we are supplying numerous components and fridge production lines. Nenwell Import and Export is our export outlet and the helper in pivoting global supply chain in this field across the world. We are committed to become your ideal one-stop supplier of freezers and coolers.



## Nenwell, a Joint of High Quality upon Cost-Efficiency

Deeply rooted in China refrigeration industry for the past three decades, we have developed prominent expertise and leading technology which bring our manufacturing to world-class high quality. Quality and safety standards such as ISO90001, CE, RoHS, REACH, ETL, UL, NSF, CB, SAA and other norms are well met for different product lines. High quality products and efficient inner cost control empowers Nenwell to grow rapidly in the refrigeration field. Your one-stop refrigeration supplier is us as we run comprehensively full field refrigeration equipment, from cooler to freezer, from mini to large, from counter-top to free-standing, from complete units to components, and from products to production lines. We are professional in satisfying your OEM/ ODM and customized orders.

## We help Boost Your Brand in Catering and Retailing



We are always one step ahead of the food service and retailing business. Our insights in stylish designs, illuminated visibility, energy saving technology can definitely boost your brand distribution and retailing sales. Remarkable acknowledgements are bestowed to Nenwell through trustworthy cooperations with famous clients home and abroad, such as Qingdao Beer, Tiger Beer, Polar Bear, Nestle', Meiji, Dairy Queen, Arum, Klondike, Cream Bell, Dairy Day, Igloo, Orchard Fresh, Cold Stone, Llaollao, Froots, Amorino, Galadari and the list extends yearly.



**Barrel Cooler**



**Countertop Chiller**



**Silm Upright Freezer**



**Upright Fridge**



**Cake Showcase**



**Ice Cream Showcase**



**Supermarket Merchandiser**



**Medical Refrigerator**

2 ~ 8°C Pharmacy Refrigerator




4°C Blood Bank Refrigerator




-40°C Biomedical Freezer



Transport Cooler



# CONTENTS



— Cake Cabinet Series

Standing Type Cake Display Cabinet	/01
Floor Standing Cake Display Cabinet	/02-15
Counter Top Cake Display Cabinet	/16-20
Slim Cake Display Cabinet	/21-22
Corner Cake Display Cabinet	/23-24
4-Sides Glass Cake Display Fridge	/25-26
Countertop Heating Showcase	/27-28
Chocolate Display Cabinet Series	/29
Multideck Display Cabinet Series	/30

# Standing Type Cake Display Cabinet

· G Designed Glass

## Products Features

Embraco or Secop compressor, quiet and energy-saving

Ventilated cooling system

Automatic defrost

The color can be customized

Copper evaporator with high-speed fan

#304 stainless interiors

Adjustable glass shelves

LED lighting

Digital temperature controller

Tempered glass



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-G730A	2°C-8°C	900*780*1240	305	3
NW-G740A	2°C-8°C	1200*780*1240	455	3
NW-G750A	2°C-8°C	1500*780*1240	605	3
NW-G760A	2°C-8°C	1800*780*1240	705	3
NW-G770A	2°C-8°C	2100*780*1240	805	3
NW-G780A	2°C-8°C	2400*780*1240	905	3

# Floor Standing Cake Display Cabinet

- Straight Glass

## Products Features

- Embraco or Secop compressor. quiet and energy-saving
- Ventilated cooling system
- Automatic defrost
- Luxury and strong natural marble base. The color can be customized
- Copper evaporator with high-speed fan
- #304 stainless exteriors and interiors
- Adjustable glass shelves
- LED lighting
- Digital temperature controller
- Tempered glass



*NW-R series:*



*NW-RL series:*



*NW-S series:*



*NW-ST series:*



# Product Parameters:

## NW-R series:

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Bottom
NW-R730V	2~8°C	900*730*1100	268	2	Marble/Stainless Steel
NW-R740V	2~8°C	1200*730*1100	375	2	Marble/Stainless Steel
NW-R750V	2~8°C	1500*730*1100	482	2	Marble/Stainless Steel
NW-R760V	2~8°C	1800*730*1100	589	2	Marble/Stainless Steel
NW-R770V	2~8°C	2100*730*1100	698	2	Marble/Stainless Steel
NW-R780V	2~8°C	2400*730*1100	809	2	Marble/Stainless Steel

## NW-ST series:

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Packing	Bottom
NW-ST730V	2~8°C	900*690*1600	516	3	Plywood	Marble/Stainless Steel
NW-ST740V	2~8°C	1200*690*1600	705	3	Plywood	Marble/Stainless Steel
NW-ST750V	2~8°C	1500*690*1600	894	3	Plywood	Marble/Stainless Steel
NW-ST760V	2~8°C	1800*690*1600	1083	3	Plywood	Marble/Stainless Steel
NW-ST770V	2~8°C	2100*690*1600	1261	3	Plywood	Marble/Stainless Steel
NW-ST780V	2~8°C	2400*690*1600	1461	3	Plywood	Marble/Stainless Steel

## NW-RL series:

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Bottom
NW-RL730V	2~8°C	900*730*1200	370	3	Marble/Stainless Steel
NW-RL740V	2~8°C	1200*730*1200	518	3	Marble/Stainless Steel
NW-RL750V	2~8°C	1500*730*1200	666	3	Marble/Stainless Steel
NW-RL760V	2~8°C	1800*730*1200	814	3	Marble/Stainless Steel
NW-RL770V	2~8°C	2100*730*1200	962	3	Marble/Stainless Steel
NW-RL780V	2~8°C	2400*730*1200	1006	3	Marble/Stainless Steel

## NW-S series:

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Bottom
NW-S730V	2~8°C	900*690*1900	615	4	Marble/Stainless Steel
NW-S740V	2~8°C	1200*690*1900	840	4	Marble/Stainless Steel
NW-S750V	2~8°C	1500*690*1900	1065	4	Marble/Stainless Steel
NW-S760V	2~8°C	1800*690*1900	1290	4	Marble/Stainless Steel
NW-S770V	2~8°C	2100*690*1900	1440	4	Marble/Stainless Steel
NW-S780V	2~8°C	2400*690*1900	1640	4	Marble/Stainless Steel

# Floor Standing Cake Display Cabinet

- Curve Glass

## Products Features

- Embraco or Secop compressor, quiet and energy-saving
- Ventilated cooling system
- Automatic defrost
- Luxury and strong natural marble base. The color can be customized
- Copper evaporator with high-speed fan
- #304 stainless exteriors and interiors
- Adjustable glass shelves
- LED lighting
- Digital temperature controller
- Tempered glass



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Material Option
NW-KI730A	2-8°C	900*730*1200	293	3	Marble/Stainless Steel
NW-KI740A	2-8°C	1200*730*1200	443	3	Marble/Stainless Steel
NW-KI750A	2-8°C	1500*730*1200	593	3	Marble/Stainless Steel
NW-KI760A	2-8°C	1800*730*1200	743	3	Marble/Stainless Steel
NW-KI770A	2-8°C	2100*730*1200	843	3	Marble/Stainless Steel
NW-KI780A	2-8°C	2400*730*1200	943	3	Marble/Stainless Steel



# Floor Standing Cake Display Cabinet

- Double Curve Glass

## Products Features

- Embraco or Secop compressor. quiet and energy-saving
- Ventilated cooling system
- Automatic defrost
- Luxury and strong natural marble base. The color can be customized
- Copper evaporator with high-speed fan
- #304 stainless exteriors and interiors
- Adjustable glass shelves
- LED lighting
- Digital temperature controller
- Tempered glass



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Material Option
NW-S830A	2-8°C	900*820*1100	216	2	Marble/Stainless Steel
NW-S840A	2-8°C	1200*820*1100	323	2	Marble/Stainless Steel
NW-S850A	2-8°C	1500*820*1100	430	2	Marble/Stainless Steel
NW-S860A	2-8°C	1800*820*1100	537	2	Marble/Stainless Steel
NW-S870A	2-8°C	2100*820*1100	651	2	Marble/Stainless Steel
NW-S880A	2-8°C	2400*820*1100	751	2	Marble/Stainless Steel



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Material Option
NW-RY830A	2~8°C	900*820*1100	295	3	Marble/Stainless Steel
NW-RY840A	2~8°C	1200*820*1100	443	3	Marble/Stainless Steel
NW-RY850A	2~8°C	1500*820*1100	591	3	Marble/Stainless Steel
NW-RY860A	2~8°C	1800*820*1100	739	3	Marble/Stainless Steel
NW-RY870A	2~8°C	2100*820*1100	836	3	Marble/Stainless Steel
NW-RY880A	2~8°C	2400*820*1100	936	3	Marble/Stainless Steel

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Material Option
NW-KT730A	2~8°C	900*730*1370	320	4	Marble/Stainless Steel
NW-KT740A	2~8°C	1200*730*1370	470	4	Marble/Stainless Steel
NW-KT750A	2~8°C	1500*730*1370	620	4	Marble/Stainless Steel
NW-KT760A	2~8°C	1800*730*1370	720	4	Marble/Stainless Steel
NW-KT770A	2~8°C	2100*730*1370	870	4	Marble/Stainless Steel
NW-KT780A	2~8°C	2400*730*1370	970	4	Marble/Stainless Steel

# Floor Standing Cake Display Cabinet

- Curve Glass Front Sliding Door

## Products Features

- Embraco or Secop compressor. quiet and energy-saving
- Ventilated cooling system
- Automatic defrost
- Luxury and strong natural marble base. The color can be customized
- Copper evaporator with high-speed fan
- #304 stainless exteriors and interiors
- Adjustable glass shelves
- LED lighting
- Digital temperature controller
- Tempered glass



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Material Option
NW-KT730AF	2-8°C	900*730*1420	320	4	Marble/Stainless Steel
NW-KT740AF	2-8°C	1200*730*1420	470	4	Marble/Stainless Steel
NW-KT750AF	2-8°C	1500*730*1420	620	4	Marble/Stainless Steel
NW-KT760AF	2-8°C	1800*730*1420	720	4	Marble/Stainless Steel
NW-KT770AF	2-8°C	2100*730*1420	870	4	Marble/Stainless Steel
NW-KT780AF	2-8°C	2400*730*1420	970	4	Marble/Stainless Steel

# Floor Standing Cake Display Cabinet

- Curve Glass Front Sliding Door

## Products Features

- Embraco or Secop compressor, quiet and energy-saving
- Ventilated cooling system
- Automatic defrost
- Luxury and strong natural marble base. The color can be customized
- Copper evaporator with high-speed fan
- #304 stainless exteriors and interiors
- Adjustable glass shelves
- LED lighting
- Digital temperature controller
- Tempered glass



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Material Option
NW-KI730AF	2~8°C	900*730*1310	293	3	Marble/Stainless Steel
NW-KI740AF	2~8°C	1200*730*1310	443	3	Marble/Stainless Steel
NW-KI750AF	2~8°C	1500*730*1310	593	3	Marble/Stainless Steel
NW-KI760AF	2~8°C	1800*730*1310	743	3	Marble/Stainless Steel
NW-KI770AF	2~8°C	2100*730*1310	843	3	Marble/Stainless Steel
NW-KI780AF	2~8°C	2400*730*1310	943	3	Marble/Stainless Steel

# Standing Type Cake Display Cabinet

- American Series Curve Glass

## Products Features

- Ventilated cooling system
- Fully automatic defrost type
- Curved tempered glass front door
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Glass shelves are illuminated individually
- Exterior and interior finished with stainless steel



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CAD120	2°C-8°C	1200*750*1200	370L	2
NW-CAD150	2°C-8°C	1500*750*1200	473L	2
NW-CAD180	2°C-8°C	1800*750*1200	575L	2
NW-CAD210	2°C-8°C	2100*750*1200	678L	2

# Standing Type Cake Display Cabinet

• American Series Curve Glass

## Products Features

- Ventilated cooling system
- Fully automatic defrost type
- Curved tempered glass front door
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Glass shelves are illuminated individually
- Exterior and interior finished with stainless steel



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CA90	2°C-8°C	900*750*1200	270L	3
NW-CA120	2°C-8°C	1200*750*1200	370L	3
NW-CA150	2°C-8°C	1500*750*1200	473L	3
NW-CA180	2°C-8°C	1800*750*1200	575L	3
NW-CA210	2°C-8°C	2100*750*1200	678L	3



# Standing Type Cake Display Cabinet

· American Series Double Curve Glass

## Products Features

- Ventilated cooling system
- Fully automatic defrost type
- Curved tempered glass front door
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Glass shelves are illuminated individually
- Exterior and interior finished with stainless steel



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CAD90A	2°C-8°C	1200*750*1200	370L	3
NW-CAD120A	2°C-8°C	1500*750*1200	473L	3
NW-CAD150A	2°C-8°C	1800*750*1200	575L	3
NW-CAD180A	2°C-8°C	2100*750*1200	678L	3

# Standing Type Cake Display Cabinet

· American Series Curve Glass

## Products Features

- With fan assisted cooling
- Refrigerant: R134a / R290 / R404a
- Fully automatic defrost type
- Curved tempered glass front door
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Glass shelves are illuminated individually
- Interior finished with stainless steel
- Exterior finished with stainless steel & marble



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CV90	2°C-8°C	900*800*1370	335L	4
NW-CV120	2°C-8°C	1200*800*1370	463L	4
NW-CV150	2°C-8°C	1500*800*1370	591L	4
NW-CV180	2°C-8°C	1800*800*1370	719L	4
NW-CV210	2°C-8°C	2100*800*1370	846L	4





# Standing Type Cake Display Cabinet

- American Style Straight Glass

## Products Features

- With fan assisted cooling
- Fully automatic defrost type
- Tempered glass wall and doors
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Glass shelves are illuminated individually
- Exterior and interior finished with stainless steel



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CL90	2°C-8°C	900*700*1200	306L	3
NW-CL120	2°C-8°C	1200*700*1200	424L	3
NW-CL150	2°C-8°C	1500*700*1200	542L	3
NW-CL180	2°C-8°C	1800*700*1200	660L	3
NW-CL210	2°C-8°C	2100*700*1200	777L	3

# Standing Type Cake Display Cabinet

- American Style Straight Glass

## Products Features

- With fan assisted cooling
- Fully automatic defrost type
- Tempered glass wall and doors
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CL1 90	2°C-8°C	900*700*1200	306L	3
NW-CL1 120	2°C-8°C	1200*700*1200	424L	3
NW-CL1 150	2°C-8°C	1500*700*1200	542L	3
NW-CL1 180	2°C-8°C	1800*700*1200	660L	3
NW-CL1 210	2°C-8°C	2100*700*1200	777L	3

# Standing Type Cake Display Cabinet

- American Style Front Sliding Door

## Products Features

- Ventelated cooling system
- Refrigerant: R134a / R290 / R404a
- Fully automatic defrost type
- Curved tempered glass sliding front door
- Interior LED lighting with switch
- Adjustable feet/casters
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Glass shelves are illuminated individually
- Interior finished with stainless steel
- Exterior finished with stainless steel & marble



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-CVF90	2°C-8°C	900*835*1370	328L	4
NW-CVF120	2°C-8°C	1200*835*1370	452L	4
NW-CVF150	2°C-8°C	1500*835*1370	576L	4
NW-CVF180	2°C-8°C	1800*835*1370	700L	4
NW-CVF210	2°C-8°C	2100*835*1370	825L	4



# Counter Top Cake Display Cabinet

## Products Features

- Ventelated cooling system
- Refrigerant: R134a
- Fully automatic defrost type
- Curved tempered glass
- Interior LED lighting with switch
- Adjustable shelf
- Fan assisted condenser
- Digital controller and display screen
- Replaceable rear sliding door for easy cleaning
- Replaceable door gasket
- Interior and Exterior finished with stainless steel

NW-G series:



NW-M series:



Model No	Temp Range(°C)	Dimension(mm)	Capacity(L)	Layer
NW-G530	2-8/40-75	900*550*810	120	2
NW-G540	2-8/40-75	1200*550*810	176	2
NW-G550	2-8/40-75	1500*550*810	232	2
NW-M430	2-8/40-75	900*460*700	58	2
NW-M440	2-8/40-75	1200*460*700	80	2
NW-M450	2-8/40-75	1500*460*700	102	2

# Counter Top Cake Display Cabinet

• Curve Glass

## Products Features

Internal LED light

Digital thermostat and display

Adjustable shelves

Tempered glass

Back sliding glass doors

Ventilated cooling system

Automatic defrost

Curved front glass

Refrigerant:R134a / R600a



NW-XCW100L



NW-XCW120L/160L

Model No	Temp Range	Dimension(mm)	Capacity(L)	Refrigerant	Layer
NW-XCW100L	0~12°C	682*450*675	100	R134a/R600a	2
NW-XCW120L	0~12°C	710*568*686	120	R134a/R600a	2
NW-XCW160L	0~12°C	888*568*686	160	R134a/R600a	2

# Counter Top Cake Display Cabinet

· Straight Glass

## Products Features

Top LED lighting

Digital controller, separated power button

Adjustable shelves, stainless steel shelf supporter

Tempered glass

Back sliding glass doors

Ventilated cooling system

Automatic defrost

Straight glass design

Refrigerant:R134a / R600a



NW-XCW120F/160F



NW-XCW120Z/160Z

Model No	Temp Range	Dimension(mm)	Capacity(L)	Refrigerant	Layer
NW-XCW120Z	0-12°C	760*537*755	120	R600a	2
NW-XCW160Z	0-12°C	1000*580*690	160	R600a	2
NW-XCW120F	0-12°C	760*537*755	120	R600a	2
NW-XCW160F	0-12°C	1000*580*690	160	R600a	2

# Counter Top Cake Display Cabinet

· Dual Temperature for Option

## Products Features

With fan assisted cooling / heating

Fully automatic defrost type

Interior LED lighting with switch

Adjustable feet

Fan assisted condenser

Digital controller and display screen

Replaceable rear sliding door for easy cleaning

Replaceable door gasket

Glass shelves are illuminated individually

Exterior and interior finished with stainless steel

Refrigerant: R134a



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-TA90	2~8°C(Cooling)/35~75°C(Heating)	900*490*680	75	2
NW-TA120	2~8°C(Cooling)/35~75°C(Heating)	1200*490*680	101	2
NW-TA150	2~8°C(Cooling)/35~75°C(Heating)	1500*490*680	128	2



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-TC90	2~8°C(Cooling)/35~75°C(Heating)	900•550•790	128	2
NW-TC120	2~8°C(Cooling)/35~75°C(Heating)	1200•550•790	176	2
NW-TC150	2~8°C(Cooling)/35~75°C(Heating)	1500•550•790	224	2

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-TS90	2~8°C(Cooling)/35~75°C(Heating)	900•550•790	154L	2
NW-TS120	2~8°C(Cooling)/35~75°C(Heating)	1200•550•790	212L	2
NW-TS150	2~8°C(Cooling)/35~75°C(Heating)	1500•550•790	270L	2



# Floor Standing Cake Display Cabinet

· Slim Series

## Products Features

LED light bar under each shelf

Digital thermostat and display

Glass shelves

Tempered glass

Back sliding glass doors

Ventilated cooling system

Automatic defrost

Refrigerant: R134a/290a



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XC270Y	0~8°C	915*675*1215	270	3
NW-XC370Y	0~8°C	1215*675*1215	370	3
NW-XC470Y	0~8°C	1515*675*1340	470	3



Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XC270Z	0~8°C	915*675*1215	270	3
NW-XC370Z	0~8°C	1215*675*1215	370	3
NW-XC470Z	0~8°C	1515*675*1340	470	3

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XC300L	0~8°C	650*810*1454	350	4
NW-XC400L	0~8°C	900*810*1454	500	4
NW-XC500L	0~8°C	1200*810*1454	650	4

# Floor Standing Cake Display Cabinet

· Corner Series

## Products Features

Ventilated cooling system

Fully automatic defrost type

Tempered glass wall and door

Interior LED lighting with switch

Adjustable feet/casters

Fan assisted condenser

Digital controller and display screen

Replaceable rear sliding door for easy cleaning

Replaceable door gasket

Glass shelves are illuminated individually



Model No	Temp Range	Dimension(mm)	Layer
NW-ML650A	2-8°C	1500+1500x675+1210	3
NW-ML660A	2-8°C	1800+1800+675+1210	3
NW-ML680A	2-8°C	2100+2100+675+1210	3
NW-ML680A	2-8°C	2400+2400+675+1210	3



Model No	Temp Range	Dimension(mm)	Layer
NW-CLC210	2-8°C	2100*730*1100	3
NW-CLC210A	2-8°C	2100*730*1100	3

Model No	Temp Range	Dimension(mm)	Layer
NW-CCK670	2-8°C	2100*800*1300	3

# 4-Sides Glass Cake Display Fridge



## Products Features

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glass
- Maintenance free condenser
- Ventilated cooling system
- Automatic defrost
- Glass fog preventing system
- Separated power button
- Refrigerant: R134a / R600a

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XC58L	2~8°C	447*400*819	58L	3
NW-XC68L	2~8°C	447*400*894	68L	4
NW-XC78L	2~8°C	447*400*969	78L	4
NW-XC98L	2~8°C	447*400*1119	98L	5



## Products Features

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glass, curved front
- Maintenance free condenser
- Ventilated cooling system
- Automatic defrost
- Glass fog preventing system
- Separated power button
- Refrigerant: R134a / R600a

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XC58L(1R)	2~8°C	447*400*819	58L	3
NW-XC68L(1R)	2~8°C	447*400*894	68L	4
NW-XC78L(1R)	2~8°C	447*400*969	78L	4
NW-XC98L(1R)	2~8°C	447*400*1119	98L	5

# 4-Sides Glass Cake Display Fridge



## Products Features

- Internal top LED light
- Digital thermostat and display
- Adjustable PVC coated shelves
- 4-sides double glass
- Maintenance free condenser
- Ventilated cooling system
- Automatic defrost
- Curved front glass door
- Four castors, two with brakes
- Refrigerant: R134a / R290



## Products Features

- Two LED strip lights
- Digital controller
- Tempered glass shelves
- Tempered glass
- Ventilated cooling system
- Automatic defrost
- Designed for countertop

Model No	Temp Range	Dimension(mm)	Capacity(L)	Refrigerant	Layer
NW-XC218L	2~8°C	515*485*1615	218L	R134a/290	5
NW-XC238L	2~8°C	515*485*1715	238L	R134a/290	5
NW-XC278L	2~8°C	515*485*1915	278L	R134a/290	6

Model No	Temp Range	Dimension(mm)	Capacity(L)	Refrigerant	Layer
NW-XC105R	0~12°C	480*480*1030	105L	R600a	4

# Countertop Heating Showcase



## Products Features

- Internal top LED light
- Digital controller and display
- Adjustable chrome plated shelves
- Tempered glass
- Designed for countertop
- Separated power button, separated light button
- Water tank

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XCR58L	30~70°C	425*380*665	58L	2
NW-XCR68L	30~70°C	425*380*815	68L	3
NW-XCR78L	30~70°C	425*380*965	78L	3



## Products Features

- Internal top LED light
- Mechanical thermostat and display
- Adjustable chrome plated shelves
- Tempered glass
- Back sliding glass doors
- Curved front glass
- Designed for countertop
- Stainless steel outside
- Separated power button, separated light button
- Water tank

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XCR120L	30~90°C	678*568*685	120L	3
NW-XCR160L	30~90°C	856*568*685	160L	3

# Countertop Heating Showcase

## Products Features



- Internal top LED light, brand box
- Mechanical thermostat and display
- Adjustable chrome plated shelves
- Tempered glass
- Back and front hinge doors
- Designed for countertop
- Separated power button, separated light button
- Water tank



## Products Features

- Internal top LED light, branding box
- Mechanical thermostat and display
- Adjustable chrome plated shelves
- Tempered glass
- Back and front sliding glass doors
- Designed for countertop
- Separated power button, separated light button
- Water tank

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XCR76L	30-90°C	338*486*636	76L	3

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer
NW-XCR96L	30-90°C	668*486*636	96L	3
NW-XCR136L	30-90°C	904*486*636	136L	3
NW-XCR186L	30-90°C	1208*486*636	186L	3



# Chocolate Display Cabinet Series

We have two temperature ranges for choice. Both 2°C~8°C and 12°C~18°C are optional



Model No	Temp Range	Dimension(mm)	Capacity(L)	Refrigerant	Layer
NW-U850V	2°C-8°C / 12°C-18°C	1500*800*1100	327	R134a	One (Drawers or Sliding doors for option)
NW-U860V	2°C-8°C / 12°C-18°C	1800*800*1100	397	R134a	
NW-U870V	2°C-8°C / 12°C-18°C	2100*800*1100	468	R134a	
NW-U880V	2°C-8°C / 12°C-18°C	2400*800*1100	538	R134a	
NW-U850V2	2°C-8°C / 12°C-18°C	1730*1060*1350	555	R134a	Two (Drawers or Sliding doors for option)
NW-U860V2	2°C-8°C / 12°C-18°C	1900*1060*1350	615	R134a	
NW-U870V2	2°C-8°C / 12°C-18°C	2070*1060*1350	675	R134a	
NW-U880V2	2°C-8°C / 12°C-18°C	2240*1060*1350	735	R134a	



## Multideck Display Cabinet Series

Cake / Sandwich Showcase

Model No	Temp Range	Dimension(mm)	Capacity(L)	Layer	Packing	Bottom
NW-K730AN	5~10°C	900*730*1300	314	3	Plywood	Marble
NW-K740AN	5~10°C	1200*730*1300	464	3	Plywood	Marble
NW-K750AN	5~10°C	1500*730*1300	614	3	Plywood	Marble
NW-K760AN	5~10°C	1800*730*1300	764	3	Plywood	Marble

# Cake cabinet Series



Nenwell Refrigeration Technology Co., Ltd.  
Foshan Nenwell Import & Export Trading Co., Ltd.

Total Solution of Commercial Refrigerators Tel: 0086-757-85856069 Web: <http://www.nenwell.com/>  
Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China

